

# Meeting: Safety Committee - 29-11-2018

(BDA Division)

# **Meeting Information**

| Purpose         | Review issues flagged for review pending closure and discuss general safety initiatives. |          |                      |
|-----------------|--|----------|----------------------|
| Desired Outcome | Complete review of all bdasafety issues marked for review                                |          |                      |
| Meeting Date    | 29/11/2018   | Location | Burgess<br>Boardroom |
| Start Time      | 10:37  | End Time | 13:34                |

# Meeting Attendance (Roll Call)

| Present          | Absent         |
|------------------|----------------|
| Afton Botelho    | Chuck Santiago |
| Allisson Russell | Kahnae Bean    |
| Amy Curtis       | Steve Nurse    |
| Donald Gray      | Wendell Dottin |
| Lonnie Bascome   |                |
| Michael Darrell  |                |
| Tina Minors      |                |

# **Meeting Minutes**

# 1. (Issue #25279) LEAKS AND FLOODING IN ATB

| Speaker | Myron Burchall |
|---------|----------------|
|---------|----------------|

#### 2. (Issue #5022624) Member of public injured in short term parking lot

| Speaker         | Myron Burchall                    |
|-----------------|-----------------------------------|
| Minutes & Notes | All works completed. Issue closed |

#### 3. (Issue #5037987) HDDC Parapet Wall

| Speaker         | Joseph Butterfield   |
|-----------------|--|
| Minutes & Notes | Unable to close at indicated at last meeting due to unaccepted CPA. However, HDDC continues to perform works. New issue submitted. |

### 4. (Issue #5041310) Incorrect use of ladder and lack of care of asset

| Speaker         | Myron Burchall                     |
|-----------------|------------------------------------|
| Minutes & Notes | Unable to close due unaccepted CPA |

### 5. (Issue #5042556) Belt Loader not parked in designated area

| Speaker         | Jason Inniss  |
|-----------------|---|
| Minutes & Notes | Safety Committee recommendations:<br>Air Ops develop parking diagram for distribution to all ramp<br>agencies.<br>Ensure adequate inspection and enforcement action is taken in the<br>event of infractions.<br>Amend Menzies Aviation licence to require compliance with<br>parking requirements. Require all vehicles and equipment to be<br>parked in designated bays other than for staging purposes a<br>defined period in advance of flight arrivals.<br>A review should be conducted on the presence/marking of the<br>portable lighting equipment on Stand 6<br>Item remains open. DH advised |

#### 6. (Issue #5037679) Removal of defective equipment from service

| Speaker |
|---------|
|---------|

### 7. (Issue #5037976) Failure to comply with requirements of Job Hazard Analysis

| Speaker         | Myron Burchall  |
|-----------------|---|
| Minutes & Notes | SC Recommendation:<br>Post-project debriefings should be conducted to discuss what went<br>well and what not so well after every project.<br>Airport Traffic Officers and Airport Duty Officers should be provided<br>with traffic management plans and Job Hazard Analyses for all<br>projects<br>Communication during morning briefing to identify works scheduled<br>for the following day.<br>Action for: M&E / Technical Sections<br>Unable to close due to unaccepted CPA |

#### 8. (Issue #5022598) Mold on ceiling tiles

| Speaker         | Myron Burchall  |
|-----------------|---|
| Minutes & Notes | eMaint inspection programme now in place.<br>Issue closed |

### 9. (Issue #5044656) Trailer hazard

| Speaker         | Myron Burchall   |
|-----------------|--|
| Minutes & Notes | SC Recommendation:<br>Receiving procedures should include confirmation that the<br>environment is safe for vehicular and pedestrian traffic.<br>Procedures should include barriers/cones/signs as appropriate.<br>Issue closed |

#### 10. (Issue #5045864) SOL Truck & GSE cutting across aircraft stand

| Speaker | Jason Inniss |
|---------|--------------|
|---------|--------------|

| Minutes & Notes | This issue is related to issue 5042556 in that the route taken may not have been necessary if space between gates remained clear of GSE. |
|-----------------|--|
|                 | Recommend recording of monitoring described in CPA to monitor apron vehicle operations over the next few days.                           |
|                 | Unable to close due to open investigation  |

### 11. (Issue #5046356) Medical DL656 absence of ground crew

| Speaker         | Jason Inniss                       |
|-----------------|------------------------------------|
| Minutes & Notes | unaccepted CPA, unable to progress |

# 12. (Issue #5046879) slip and fall main concourse

| Speaker         | Donald Gray                                 |
|-----------------|---|
| Minutes & Notes | no action required by skyport. issue closed |

# 13. (Issue #5045503) There is no cap on the left side of the potable water fill p

| Speaker         | Myron Burchall                    |
|-----------------|-----------------------------------|
| Minutes & Notes | unaccepted CPA - unable to close. |

#### 14. (Issue #5042819) Passenger fall in stairwell

| Speaker         | Donald Gray  |
|-----------------|--|
| Minutes & Notes | Not due to skyport errors or omission. NFA required. Issued closed |

#### 15. (Issue #5041773) Taxi Driver Fall

| Speaker         | Myron Burchall  |
|-----------------|---|
| Minutes & Notes | Area in question investigated by M&E. No obvious cause.<br>Issue closed |

# **General Notes**

| 1. | Next meeting - 17th Dec - 1300-1700<br>24th Jan - 1300-1700 |
|----|---|
| 2. | Approval of previous minutes - approved without comment     |